Poultry Slaughter



United States Department of Agriculture

Washington, D.C.

Released January 5, 1995, by the Agricultural Statistics Board. This summary relates to preliminary inspection totals for November 1994 and updated October 1994 totals.

Ready-to-Cook Weight Up 7 Percent

Poultry Certified Wholesome during November (ready-to-cook weight), totaled 2.48 billion pounds, up 7 percent from the amount certified in November 1993. Updated totals for October 1994 show that 2.57 billion pounds were certified. The January through November cumulative total of pounds certified, at 27.0 billion pounds, was up 7 percent from the same period the previous year.

The preliminary total Live Weight of Poultry Inspected during November 1994 was 3.36 billion pounds. Inspections included 2.71 billion pounds of young chickens. 63.3 million pounds of mature chickens, 572 million pounds of turkeys, and 10.3 million pounds of ducks.

Young chickens slaughtered during November 1994 averaged 4.70 pounds per bird, up 2 percent from 4.63 pounds per bird a year ago. The average live weight of mature chickens increased 15 percent from 4.57 pounds per bird the previous year to 5.26 pounds. Turkeys slaughtered during November 1994 averaged 22.4 pounds per bird, up 1 percent from November 1993.

Ante-mortem condemnations during November 1994 totaled 9.54 million pounds. Condemnations were 0.28 percent of the live weight inspected, compared with 0.31 percent a year earlier. Post-mortem condemnations, at 51.7 million pounds (N.Y. dressed weight), were 1.71 percent of quantities inspected, compared with 1.63 percent a year earlier.

November 1994 and 1993 both contained 22 weekdays (including two holidays) and four Saturdays. Each weekday represents approximately 5 percent of the month's total.

For information call James E. Brewster at (202) 720-8784. Office hours are 8:00 a.m. to 4:30 p.m. ET.

Poultry Slaughter: Number. Live Weight, and Average Live Weight by Type, United States. November 1994 with Comparisons 1/

| ** | | | | | | |
|---------------------|------------------|---------------------|------------|--------------|---------------------------|--|
| | : | Chickens | | Duoke | : Other : Poultry : | |
| | : Young : | Mature <u>2</u> / : | Total | : Ducks : | | |
| | | 1.0 | 00 Head | | | |
| Number Inspected | : | | | | | |
| Oct 1994 | : : 601,695 | 12.474 | 614,169 | 1,,621 | | |
| Nov 1993 | : 536,850 | | 550.410 | | | |
| Nov 1994 | 577,552 | 12.047 | 589.599 | | | |
| Jan-Nov 1993 | : : 6,123,613 | 160,688 | 6,284,301 | 18,694 | | |
| Jan-Nov 1994 | 6,487,913 | 153,793 | 6.641.705 | 18,361 | | |
| | ; • | 1,00 | 0 Pounds | | | |
| Live Weight | : | | | | | |
| Oct 1994 | : 2,833,201 | 66,332 | 2,899,533 | 10.858 | 1,793 | |
| Nov 1993 | : 2.487,598 | 62,036 | 2,549,634 | | | |
| Nov 1994 | : 2,712.840 | 63,323 | 2,776,164 | 10.268 | 550 | |
| Jan-Nov 1993 | : 27,888,831 | | 28,649.519 | 125,327 | | |
| Jan-Nov 1994 | 30,033,338 | 759,785 | 30,793,123 | 121,821 | 5,903 | |
| | • | Р | ounds | | | |
| Average Live Weight | : | | | | | |
| Oct 1994 | | 5.32 | | 6.70 | | |
| Nov 1993 : | 4.63 | 4.57 | 4.63 | | - | |
| Nov 1994 | 4.70 | 5.26 | 4.71 | 6.75 | | |
| Jan-Nov 1993 | 4.55 | 4.73 | 4.56 | | | |
| Jan-Nov 1994 : | 4.63 | 4.94 | 4.64 | 6.63 | - | |

See footnotes at end of table.

-- continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, November 1994 with Comparisons $\underline{1}$ / (continued)

| | : | Turk | eys | | : : Total |
|---------------------|------------------------|---------------------------|------------|----------------------|--------------|
| | : Fryer- : Roasters | : : Young <u>3</u> / : | | : Total : Turkeys | : Poultry |
| | : : | | 1.000 He | ad | |
| Number Inspected | : | | | | |
| Oct 1994 | : 21 | 25,526 | 190 | 25.738 | |
| Nov 1993 | : | 26.120 | 144 | 26,264 | |
| Nov 1994 | ; | 25,439 | 156 | 25.595 | |
| Jan-Nov 1993 | : : 345 | 253.045 | 1,984 | 255,374 | |
| Jan-Nov 1994 | : 348 | 254,937 | 1.864 | 257.149 | |
| | : | | 1.000 Pour | nds | |
| ive Weight | • | | | | |
| Oct 1994 | : 210 | 578,247 | 4,658 | 583,115 | 3,495,299 |
| Nov 1993 | : | 578,421 | | 581,976 | |
| Nov 1994 | : | 568,013 | 3,924 | 571,937 | 3.358.919 |
| Jan-Nov 1993 | : 3,003 | 5,604,689 | 49,637 | 5,657,329 | 34,438,494 |
| Jan-Nov 1994 | : 3,386 | 5,779,585 | 45,965 | 5,828,936 | 36.749.784 |
| | ; : | | Pounds | | |
| Average Live Weight | : | | | | |
| Oct 1994 | : 9.95 | 22.65 | 24.45 | 22.66 | |
| Nov 1993 | : | 22.14 | | 22.16 | |
| Nov 1994 | : | 22.33 | 25.15 | 22.35 | |
| Jan-Nov 1993 | : 8.70 | 22.15 | 25.02 | 22.15 | |
| Jan-Nov 1994 | : 9.74 | 22.67 | 24.66 | 22.67 | |

¹/ Federally inspected only. Totals may not add due to rounding.

Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: November 1993: 3,624, November 1994: 4,898.

^{3/} Of the Young Turkeys inspected, the number reported in thousands as young breeders was: November 1993: 78, November 1994: 93.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
United States, November 1994 with Comparisons <u>1</u>/

| | : | Chickens | | : : | : Other |
|--|---------------------------------------|------------------------------|-----------------------------------|----------------------------|------------------|
| | Young : | Mature | : Total | : Ducks : | : Poultry : |
| | ; | 1.00 | 00 Pounds | | |
| Oct 1994 : Chilled : Frozen : | : 1,889,747 173,152 | 38,112 2,495 | 1.927.859 175.647 | 2,403 5,300 | 215 930 |
| Total : | 2,062,899 | 40,607 | 2,103,506 | 7.703 | 1,145 |
| Nov 1993 : Chilled : Frozen : | 1,663,545 146,662 | 36.453 1.609 | 1.699.998 148.271 | 2.833 5.646 | 68 494 |
| Total : | 1,810,207 | 38,062 | 1,848,269 | 8,479 | 562 |
| Nov 1994 : Chilled : Frozen : Total : | 1.808,709 169,175 1,977,884 | 37.445 1.553 38.997 | 1.846.154 170.727 2.016.882 | 2.841 4.532 7.374 | 63 281 344 |
| Jan-Nov 1993 : Chilled : Frozen : Total : | 18,766,773 1,533,987 20,300,760 | 446.488 24.268 470.755 | 19,213,260 1,558,255 | 27.418 61.857 89.275 | 495 3.454 |
| : | 20,300.760 | 470.755 | 20.771.515 | 69,275 | 3,949 |
| Jan-Nov 1994 : Chilled : Frozen : | 20.088.736 1.769.666 | 436,726 27,731 | 20.525.462 1.797.397 | 27.134 60.374 | 774 2.964 |
| Total : | 21.858.402 | 464,457 | 22,322,859 | 87,508 | 3,739 |

See footnotes at end of table.

-- continued

Algebra Section 1980 and 1980

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type. United States, November 1994 with Comparisons $\underline{1}$ / (continued)

| : | : Turkeys | | | | | |
|---|--------------------|-------------------------------|-------------------------|-------------------------------|-----------------------------------|--|
| : | Fryer- Roasters | : : Young : | : 01d : | Total : Turkeys : | Total Poultry | |
| : | ; | | 1,000 Pound | S | | |
| Oct 1994 : Chilled : Frozen : | 155 | 212.824 242.586 | 1.992 1.514 | 214,817 244,255 | 2,145,294 426,133 | |
| : Total : | 155 | 455,410 | 3,507 | 459,072 | 2,571,427 | |
| Nov 1993 : Chilled : Frozen : | | 218.022 241.174 | 1.713 897 | 219,735 242,071 | 1,922.634 396.482 | |
| Total : | | 459.196 | 2.609 | 461,806 | 2,319,116 | |
| Nov 1994 : Chilled : Frozen : Total : | | 229,919 220,365 450,285 | 1.878 1.071 2.949 | 231.797 221,436 453,233 | 2.080.856 396.977 2.477.833 | |
| : | | | | | | |
| Jan-Nov 1993 : Chilled : Frozen : | 2,238 | 1.979.887 2.452.814 | 25.036 12.376 | 2.004.923 2,467,428 | 21.246.096 4.090.994 | |
| Total : | 2,238 | 4,432,701 | 37,412 | 4,472,351 | 25,337,090 | |
| Jan-Nov 1994 : Chilled : Frozen : | 225 2,334 | 2,174,215 2,382.800 | 19.905 14.552 | 2.194.346 2.399.685 | 22.747.715 4.260.421 | |
| Total : | 2,559 | 4,557,015 | 34.457 | 4,594,031 | 27,008,137 | |

^{1/} Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, November 1994 with Comparisons <u>1</u>/

| | : | Chickens | | : : | : Other |
|--|----------------------------|-------------------------|----------------------------|-------------------|----------------|
| | Young | : Mature | : Total | : Ducks | : Poultry : |
| | ; | 1 | .000 Pounds | | |
| Ante-Mortem (Live Weight) | : | | | | |
| Oct 1994 Nov 1993 Nov 1994 | 7.780 7.667 7.650 | 762 774 682 | | 10 10 9 | 10 6 2 |
| : | | | | • | _ |
| Jan-Nov 1993 : Jan-Nov 1994 : | | 11.473 13.271 | 103.374 113.309 | | 33 34 |
| Percent <u>2</u> / | | | | | |
| Nov 1993 Nov 1994 | 0.31 0.28 | 1.25 1.08 | 0.33 0.30 | 0.08 0.08 | 0.69 0.33 |
| : | | 1. | .000 Pounds | | |
| Post-Mortem : (N.Y. Dressed Weight) : | | | | | |
| Oct 1994 : Nov 1993 : Nov 1994 : | 38.669 33.053 38.010 | 3.154 2.707 3.203 | 41.823 35.761 41.213 | 184 202 180 | 52 14 9 |
| Jan-Nov 1993 : Jan-Nov 1994 : | 372.791 425.277 | | 406.580 460.747 | 2.075 2.022 | 69 109 |
| Percent <u>3</u> / | | | | | |
| Nov 1993 : Nov 1994 : | 1.48 1.56 | 4.85 5.62 | 1.56 1.65 | 1.90 1.95 | 1.74 1.88 |

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type. United States. November 1994 with Comparisons $\underline{1}$ / (continued)

| | : | | Total | | |
|--------------------------------------|-----------------------|----------------------------|-------------------|----------------------------|----------------------------|
| | : Fryer- : Roasters : | Young | : 01d : | Total Turkeys | : Total : Poultry |
| | : | | 1,000 Pound | ls | |
| Ante-Mortem (Live Weight) | : | | | | |
| Oct 1994 Nov 1993 Nov 1994 | : 1 : 0 : 0 | 1.121 1.145 1.162 | 32 32 35 | 1.153 1.176 1.196 | 9.714 9.633 9.539 |
| Jan-Nov 1993 Jan-Nov 1994 | : : 6 : 8 | 14.714 14.843 | 478 369 | 15.197 15.220 | 118.724 128.694 |
| Percent <u>2</u> / | • | | | | |
| Nov 1993 Nov 1994 | : 0.00 : 0.00 | 0.20 0.20 | 0.89 0.88 | 0.20 0.21 | 0.31 0.28 |
| | : | | 1.000 Pound | is | |
| Post-Mortem (N.Y. Dressed Weight) | : | | | | |
| Oct 1994 Nov 1993 Nov 1994 | : 3 : 0 : 0 | 10.754 10.009 10.059 | 303 212 254 | 11.060 10.221 10.314 | 53.118 46.198 51.716 |
| Jan-Nov 1993 Jan-Nov 1994 | : 35 : 46 | 103.164 112.148 | 3.131 3.221 | 106.329 115.416 | 515.053 578.294 |
| Percent <u>3</u> / | : | | | | |
| Nov 1993 Nov 1994 | : 0.00 : 0.00 | 1.92 1.97 | 6.62 7.20 | 1.95 2.00 | 1.63 1.71 |

^{1/} Federally inspected only. Totals may not add due to rounding.

^{2/} Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

^{3/} Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, November 1993-94

| State | : | : Number : : Inspected : | | : | Live Weight Inspected | | | : : | Average Live Weight Inspected <u>1</u> / | |
|-------|---|-----------------------------|---------|---|--------------------------|------|-----------|--------------|--|--------|
| | : | 1993 | : 1994 | ; | 1993 | : | 1994 | : | 1993 | : 1994 |
| | : | 1 | .000 | | 1.00 | 0 Po | unds | - | Po | ounds |
| AL | : | 71,000 | 70,119 | | 324,186 | | 326,709 | | 4.57 | 4.66 |
| AR | : | 88,330 | 90.040 | | 393,334 | | 414.544 | | 4.45 | 4.60 |
| CA | : | 14,328 | 17.515 | | 71,340 | | 87,239 | | 4.98 | 4.98 |
| DE | : | 20,879 | 21,600 | | 109,829 | | 117.510 | | 5.26 | 5.44 |
| FL | : | 12,025 | 12.006 | | 52,348 | | 52,656 | | 4.35 | 4.39 |
| GA | : | 72,553 | 78,178 | | 347,644 | | 372,700 | | 4.79 | 4.77 |
| LA | : | 11,877 | 12,567 | | 53,235 | | 57,292 | | 4.48 | 4.56 |
| MD | : | 15,463 | 16.490 | | 71,734 | | 76,615 | | 4.64 | 4.65 |
| MS | : | 41,500 | 51,395 | | 190,798 | | 237,400 | | 4.60 | 4.62 |
| MO | : | 16,416 | 18,422 | | 69,751 | | 80.193 | | 4.25 | 4.35 |
| NC | : | 47.573 | 49.637 | | 242,561 | | 254.595 | | 5.10 | 5.13 |
| PA | : | 7,528 | 7,641 | | 35.939 | | 38,566 | | 4.77 | 5.05 |
| SC | : | 16.223 | 18,948 | | 65.231 | | 76,173 | | 4.02 | 4.02 |
| TN | : | 11,209 | 11,622 | | 49,089 | | 52.929 | | 4.38 | 4.55 |
| TX | : | 30,549 | 33,468 | | 139,356 | | 149,809 | | 4.56 | 4.48 |
| ۷A | : | 26,551 | 28,153 | | 124,461 | | 135.187 | | 4.69 | 4.80 |
| WA | : | 2,636 | 2,662 | | 12,892 | | 13.483 | | 4.89 | 5.07 |
| | : | | | | _ | | | | | _ |
| US | : | 536,850 | 577,552 | | 2,487,598 | | 2,712,840 | | 4.63 | 4.70 |

^{1/} Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, November 1993-94

| | - - - | | | | | | |
|-------|--------------|-----------|-----------|-------------|--------------|--------------------|------------|
| | : | Т | otal | : Post | -Mortem Cond | lemnations | |
| State | · : | | | : N.Y. Dres | sed Weight | : Percent <u>2</u> | <u>?</u> / |
| | : | 1993 | : 1994 | : 1993 | : 1994 | : 1993 : 199 | 14 |
| | : | | 1,000 | Pounds | | Percent | |
| AL | : | 236,721 | 242,669 | 5,149 | 5,316 | 1.76 1. | 81 |
| AR | : | 279,986 | 293,994 | 4.746 | 5,236 | | 40 |
| CA | | 52.073 | 63,094 | 1,215 | 2.141 | | 73 |
| DE | : | 78,962 | 85.301 | 1,462 | 1,666 | | 58 |
| FL | : | 36,561 | 37.791 | 430 | 488 | | 03 |
| GA | : | 251,662 | 273,407 | 4,864 | 5.337 | | 59 |
| ĹA | : | 39,775 | 41,775 | 688 | 760 | | 47 |
| MD | : | 50,470 | 54,035 | 831 | 922 | | 34 |
| MS | : | 146,647 | 180,495 | 2,343 | 2.697 | | 26 |
| MO | : | 50,642 | 57,898 | 1,043 | 929 | | 29 |
| NC | : | 178,607 | 187,215 | 2,733 | 3,558 | | 55 |
| PA | : | 25,843 | 27,122 | 691 | 940 | | 71 |
| SC | : | 47,318 | 55,286 | 844 | 1.015 | 1.44 1. | 48 |
| TN | : | 34,690 | 37.985 | 566 | 544 | | 14 |
| TX | : | 105,040 | 112,919 | 1,547 | 1,837 | | 36 |
| ۷A | : | 90.120 | 97,290 | 997 | 1,524 | | 25 |
| WA | : | 9,518 | 9,963 | 278 | 314 | | 59 |
| US | : | 1.810,207 | 1,977,884 | 33.053 | 38,010 | 1.48 1. | 56 |

 ^{1/} Ready-to-cook weights.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, November 1994

| State | : Tuber- : culosis | : : Leukosis | : : Septicemia | : Airsac- : culitis | : : Synovitis | : : Tumors |
|--|--|--|---|--|---|--|
| | : | | Nun | nber | · | |
| AL | · : | 6.456 | 201.862 | 137,334 | 5,703 | 15,077 |
| AR | : | 9.771 | 316.980 | 169.938 | 7,773 | 13,223 |
| CA | : | 6,146 | 100.111 | 18,493 | 1,149 | 13,503 |
| DE | : | 10.193 | 93,319 | 35,829 | | |
| FL | : | | 19,363 | 11,325 | | |
| GA | : | 10,647 | 164,516 | 136,418 | 4,239 | 16.276 |
| LA | : | 955 | 43.043 | 21.339 | 910 | 3.612 |
| MD | : | 7,176 | 63,132 | 15.199 | 1 005 | 10 041 |
| MS | : | 2,849 | 117.358 | 58.885 | 1,085 | 10.841 |
| MO N.C | : | 7.542 | 64.251 | 20.267 | 1,797 | 2,482 |
| NC PA | : | 13,973 | 123,044 37,255 | 59.061 31.703 | 165 | 42.649 3.742 |
| SC | | 2,891 3,032 | 34.045 | 31.703 | | 8.030 |
| TN | | 3,032 | 44,226 | 11.375 | | 2,092 |
| TX | | 1.186 | 126.190 | 52.964 | 428 | 3.436 |
| VA | : | 4,445 | 82,312 | 37.977 | 87 | |
| WA | · : | | 19,852 | | | |
| | : | | ., | | | |
| US | : | 99,348 | 1.815.094 | 911.497 | 35,701 | 185,198 |
| | | | | | | |
| | | | : Contam- | | ; 0.h | : T-+-1 |
| | : : Bruises | : Cadaver | | : : Overscald | : Other | : : Total |
| | : : Bruises : | : : Cadaver | : ination | : : Overscald :ber | : Other | : : Total |
| AL | : : Bruises :: : : 13.101 | : Cadaver 35.523 | : ination | | : Other | : : Total |
| AL AR | : | | : ination Num | ber | | 618.771 768.353 |
| AR CA | : 13.101 : 14.895 : 579 | 35.523 26,358 7,345 | : inationNum 67.234 63.373 2.329 | 9.305 3.822 | 127.176 | 618,771 768,353 266,144 |
| AR CA DE | : | 35.523 26.358 7.345 8.531 | : ination Num 67.234 63.373 2.329 16.753 | 9.305 3.822 | 127.176 142.220 116.489 | 618,771 768,353 266,144 172,346 |
| AR CA DE FL | : 13,101 : 14,895 : 579 : 3,957 : 1,672 | 35.523 26,358 7.345 8.531 4.831 | : ination Num 67.234 63.373 2.329 16.753 7.031 | 9.305 3.822 3.764 | 127.176 142.220 116.489 32.855 | 618.771 768.353 266.144 172.346 77.077 |
| AR CA DE FL GA | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 | 35.523 26.358 7.345 8.531 4.831 28.881 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 | 9.305 3.822 3.764 | 127.176 142.220 116.489 32.855 165.467 | 618.771 768.353 266.144 172.346 77.077 603.677 |
| AR CA DE FL GA LA | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 | : ination Num 67.234 63.373 2.329 16.753 7.031 | 9.305 3.822 3.764 10.129 | 127.176 142.220 116.489 32.855 165.467 25.576 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 |
| AR CA DE FL GA LA MD | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 : 1.902 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 | 9.305 3.822 3.764 10.129 376 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 |
| AR CA DE FL GA LA MD MS | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 : 1.902 : 6.745 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 | 9.305 3.822 3.764 10.129 376 1.606 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 | 618,771 768,353 266,144 172,346 77,077 603,677 108,819 106,695 375,596 |
| AR CA DE FL GA LA MD MS MO | 13.101 14.895 579 3.957 1.672 13.866 2.369 1.902 6.745 2.217 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 | 9.305 3.822 3.764 10.129 376 1.606 921 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 |
| AR CA DE FL GA LA MD MS MO NC | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 : 1.902 : 6.745 : 2.217 : 5.066 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27,588 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 |
| AR CA DE FL GA LA MD MS MO NC PA | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 : 1.902 : 6.745 : 2.217 : 5.066 : 2.133 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27,588 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 199 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 |
| AR CA DE FL GA LA MD MS MO NC PA SC | : 13.101 : 14.895 : 579 : 3.957 : 1.672 : 13.866 : 2.369 : 1.902 : 6.745 : 2.217 : 5.066 : 2.133 : 2.903 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 15.310 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27.588 12.871 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 199 1.577 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 32.868 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 110.636 |
| AR CA DE FL GA LA MD MS MO NC PA SC TN | 13.101 14.895 579 3.957 1.672 13.866 2.369 1.902 6.745 2.217 5.066 2.133 2.903 2.041 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 15.310 12.316 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27.588 12.871 7.263 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 199 1.577 1.253 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 32.868 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 110.636 80.566 |
| AR CA DE FL GA LA MD MS MO NC PA SC TN TX | 13.101 14.895 579 3.957 1.672 13.866 2.369 1.902 6.745 2.217 5.066 2.133 2.903 2.041 1.447 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 15.310 12.316 7.772 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27.588 12.871 7.263 9.034 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 199 1.577 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 32.868 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 110.636 80.566 211.169 |
| AR CA DE FL GA LA MD MS MO NC PA SC TN | 13.101 14.895 579 3.957 1.672 13.866 2.369 1.902 6.745 2.217 5.066 2.133 2.903 2.041 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 15.310 12.316 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27.588 12.871 7.263 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 1.99 1.577 1.253 853 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 32.868 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 110.636 80.566 |
| AR CA DE FL GA LA MD MS MO NC PA SC TN TX VA | 13.101 14.895 579 3.957 1.672 13.866 2.369 1.902 6.745 2.217 5.066 2.133 2.903 2.903 2.041 1.447 3.578 | 35.523 26.358 7.345 8.531 4.831 28.881 2.720 7.758 20.240 5.669 25.554 2.494 15.310 12.316 7.772 10.930 | : ination Num 67.234 63.373 2.329 16.753 7.031 53.238 8.295 37.575 9.925 27,588 12.871 7,263 9.034 25,743 | 9.305 3.822 3.764 10.129 376 1.606 921 2.901 199 1.577 1.253 853 | 127.176 142.220 116.489 32.855 165.467 25.576 11.152 118.412 22.637 150.783 22.030 32.868 7.859 | 618.771 768.353 266.144 172.346 77.077 603.677 108.819 106.695 375.596 137.708 450.784 102.447 110.636 80.566 211.169 165.072 32.817 |

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, November 1993-94

| State | : | Number Inspected | | : | Live Weight Inspected | | _ | : Average : Live Weigh : Inspected | | • | |
|-------|----------|---------------------|-----|--------|--------------------------|--------|-------|--|---|------|--------|
| | : - : | 1993 | : | 1994 | : | 1993 | : | 1994 | : | 1993 | : 1994 |
| | : | 1, | 000 | | | 1,0 | 00 Pc | ounds | | Po | ounds |
| CA | : | | | | | | | | | | |
| GA | : | - | | | | | | | | | |
| US | ; ; | 13.560 | | 12,047 | | 62,036 | | 63,323 | | 4.57 | 5.26 |

^{1/} Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, November 1993-94

| | : | Tot | | : | Post-Mortem Co | Condemnations | | |
|-------|--------|--------|-----------------|--------|----------------|----------------------|----------|--|
| State | · : | | fied <u>1</u> / | : N.Y. | Dressed Weight | : Percent <u>2</u> / | - | |
| | : | 1993 : | 1994 | : 1993 | : 1994 | : 1993 : 1994 | - | |
| | : | | 1.000 | Pounds | | Percent | | |
| CA | : | | | | · - | | | |
| GA | : | | | | | | | |
| US | : | 38,062 | 38,997 | 2,70 | 3,203 | 4.85 5.62 | <u>}</u> | |

 $[\]underline{1}/$ Ready-to-cook weights. $\underline{2}/$ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, November 1994

| : State : | | : : Leukosis | : : Septicemia | : Airsac- : culitis | : : Synovitis | : : Tumors |
|--------------|---------|-----------------|------------------------|------------------------|------------------|---------------|
| : | | | Nu | umber | | |
| CA : GA : | | | | | | |
| US : | | 2.456 | 173.939 | 9.075 | 7,78 | 81,225 |
| : | Bruises | : : Cadaver | : Contam- : ination | : : Overscald | : Other | : Total |
| : | | | Nu | ımber | | |
| CA : GA : | | | | | | |
| US : | 25,468 | 26.947 | 136,937 | 3.828 | 50,554 | 511.207 |

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, November 1993-94

| State | : | : Number : Inspected | | | Live Weight Inspected | | | Average Live Weight Inspected <u>1</u> / | |
|-------|----------|-------------------------|--------|---|--------------------------|---------|---|--|--------|
| | : - : | 1993 : | 1994 | : | 1993 | : 1994 | : | 1993 | : 1994 |
| | : | 1.0 | 00 | | 1.000 | Pounds | - | Pou | ınds |
| AR | : | 2.161 | 2.225 | | 45.435 | 45,72 | 3 | 21.03 | 20.55 |
| CA | : | 2,652 | 2,355 | | 55.166 | 48,01 | | 20.80 | 20.39 |
| IA | : | 1,221 | 1.213 | | 33.323 | 34.37 | 7 | 27.29 | 28.34 |
| MN | : | 3,841 | 3,755 | | 74.93 9 | 75.00 | 6 | 19.51 | 19.98 |
| МО | : | 1,745 | 1,770 | | 37,453 | 40,90 | 0 | 21.46 | 23.10 |
| NC | : | 4,251 | 4,222 | | 93,570 | 94.75 | 8 | 22.01 | 22.45 |
| PA | : | 973 | 989 | | 19.739 | 18,75 | 6 | 20.28 | 18.97 |
| VA | : | 3.713 | 3,422 | | 71,152 | 62.10 | 9 | 19.16 | 18.15 |
| US | : | 26,120 | 25.439 | | 578,421 | 568,013 | 3 | 22.14 | 22.33 |

^{1/} Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, November 1993-94

| | : | т. | · • • • • • • • • • • • • • • • • • • • | : Post-Mortem Condemnations | | | | | | | | |
|-------|---|---------|---|-----------------------------|-------------|----------|--------------------|--|--|--|--|--|
| State | : | | otal cified <u>1</u> / | : N.Y. Dre | ssed Weight | : Perce | Percent <u>2</u> / | | | | | |
| | : | 1993 | : 1994 | : 1993 | : 1994 | : 1993 : | 1994 | | | | | |
| | : | | 1,000 | Pounds | | Perc | ent | | | | | |
| AR | : | 36,631 | 36,698 | 818 | 918 | 2.00 | 2.23 | | | | | |
| CA | : | 44.828 | 38,955 | 711 | 519 | 1.43 | 1.20 | | | | | |
| IΑ | : | 25.838 | 26,777 | 681 | 779 | 2.27 | 2.52 | | | | | |
| MN | : | 59,980 | 59,892 | 1.493 | 1,445 | 2.21 | 2.14 | | | | | |
| MO | : | 29,317 | 32,261 | 925 | 1.129 | 2.75 | 3.07 | | | | | |
| NC | : | 73,961 | 74,545 | 1,587 | 1,527 | 1.88 | 1.79 | | | | | |
| PA | : | 15.738 | 15,203 | 350 | 259 | 1.97 | 1.53 | | | | | |
| VA | : | 55.704 | 48.983 | 987 | 960 | 1.54 | 1.72 | | | | | |
| US | : | 459.196 | 450,285 | 10,009 | 10.059 | 1.92 | 1.97 | | | | | |

^{1/} Ready-to-cook weights.

 $[\]underline{2}$ / Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause. Selected States and United States, November 1994

| State : | Tuber- : culosis : | Leukosis | : : Septicemia | : Airsac- : culitis | : : Synovitis : | Tumors |
|---------|-----------------------|--------------|--------------------|------------------------|---------------------------------------|---------|
| : | | | Num | ber | | |
| AR : | | | 12,479 | | | 8 |
| CA : | | | 9,112 | 231 | | |
| IA : | | | 5.411 | 2,159 | - | |
| MN : | | | 20,545 | 3,340 | 874 | |
| MO : | | | 13,951 | | | 33 |
| NC : | | | 13,207 | | | 7 |
| PA : | | | 3.878 | 935 | | |
| VA : | | | 10,461 | 505 | | |
| US : | | 866 | 120.308 | 18,813 | 8.238 | 244 |
| : | : Bruises : | : Cadaver | Contam- ination | : : Overscald | : : : : : : : : : : : : : : : : : : : | Total |
| : | | | Num | ber | | |
| AR : | | | 1,617 | | | 14.104 |
| CA : | 45 | | 727 | 45 | | 10.160 |
| IA : | 31 | 69 | 436 | | 466 | 8.572 |
| MN : | 282 | 2.063 | 2,329 | 78 | | 29,511 |
| MO : | 71 | | 1,143 | | - | 15.198 |
| NC : | 423 | 1.452 | 2.615 | 4 | 919 | 18,623 |
| PA : | 87 | | 225 | 33 | 232 | 5.390 |
| VA : | 29 | 1,096 | 346 | 69 | | 12,506 |
| US : | 1,563 | 10.211 | 11,851 | 1.747 | 13,362 | 187,203 |

Old Turkeys (Breeders) Slaughtered: Number Condemned Post-Mortem by Cause. United States, November 1994

| State | | Tuber- culosis | | Leukosis | : | Septicemia | | Airsac- culitis | | : Synovitis : | Tumors |
|-------|-----|-------------------|---|----------|---|--------------------|-----|--------------------|---|------------------|--------|
| | : | | | | | Nur | nbe | er | _ | | |
| US | : | | | | | 2,204 | | 669 | | 27 | 129 |
| | : - | Bruises | : | Cadaver | | Contam- ination | : | Overscald | : | : Other : | Total |
| | : - | | | | | Nun | ıbe | er | | | |
| US | : | 22 | | 140 | | 226 | | | | 824 | 4,241 |

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection-Daily Summary forms (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revisions were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

| | Page |
|--|------|
| Definitions | 17 |
| Mature Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., November 1993-1994 | 11 |
| Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., November 1993-1994 | 12 |
| Mature Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., November 1993-1994 | 11 |
| Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., November 1993-1994 | 15 |
| Poultry Chilled and Frozen Pounds Certified (RTC) by Type. U.S., November 1994 | 4 |
| Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., November 1994 | 6 |
| Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., November 1994 | 2 |
| Reliability Statement | 16 |
| Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., November 1993–1994 | 8 |
| Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., November 1993-1994 | 10 |
| Young Chickens Pounds Certified and Post-Mortem Condemnations. Selected States and U.S., November 1993-1994 | 9 |
| Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., November 1993–1994 | 13 |
| Young Turkeys (Mature) Post-Mortem Condemnations by Cause. Selected States and U.S., November 1993-1994 | 14 |
| Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations. Selected States and U.S., November 1993-1994 | 1.3 |

The next "Poultry Slaughter" report will be released at 3 p.m. ET on February 3, 1995.

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, USDA, Washington, D.C., 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

✓ Want to subscribe? ✓ Time to renew?

Subscribe to *Poultry Slaughter* today! If you already subscribe to this timely periodical, note that expiration information about your subscription appears on the top line of your mailing label. **Expiration information will appear in one of two formats:** 1-PPY-2 (this means you have TWO issues remaining in your subscription) or APR95 (expiration date is April 1995). Disregard this notice if no renewal information appears. **Call toll free**, 1-800-999-6779, and tell us whether you want to subscribe or renew, or return this form to: **ERS-NASS, 341 Victory Drive, Herndon, VA 22070.**

| □ Voci I want to semeste my subsociation | | \$26.00 🔲 \$50 | | | | | | |
|---|----------------------------------|----------------------|------------|--|--|--|--|--|
| | reign 🛄 S | 32.50 🔲 \$62 | <u> </u> | | | | | |
| New subscribers: | Renewals: | | | | | | | |
| Name: | | | | | | | | |
| Address: | | | | | | | | |
| City, State, Zip: | ATTACH MAILING LABEL HERE | | | | | | | |
| Daytime phone: () | | | | | | | | |
| Payment method: | | | | | | | | |
| ☐ Bill me (domestic orders only). Use purchase orders, checks draw cashier's checks, or international management of the cashier's checks. | vn on U.S. banl noney orders. | ks. Make | | | | | | |
| Credit card orders: ☐ MasterCard ☐ Visa Total charg | jes \$ | . | | | | | | |
| Credit card number: | | Card expiration date | p: | | | | | |
| For fastest service, call our toll-free or | | | Month/Year | | | | | |

Farm Prospects Through 2000



The U.S. Department of Agriculture invites you to take part in a forum on agriculture's economic prospects through the year 2000. The Forum will feature noted speakers on the trends and issues shaping farming's future, and new long-term projections from USDA.

Act Now to Attend. The Forum will be held at the Stouffer Renaissance Hotel in Arlington, Va. For registration information, call the USDA Graduate School at (202) 401-9421; fax (202) 401-7304; or write to the Graduate School, (Dept. IH), Room 108, 600 Maryland Ave., SW Washington, D.C. 20024.

Place Advance Orders for Tapes, Publications. To order audio and video cassette tapes of the Forum, call 1 (800) 747-0856; in Maryland, call (301) 662-0371. The Forum proceedings will include all submitted speeches plus the new USDA projections; request item YCON-95, \$25. Long-term Baseline Projections also available separately; request WAOB-94-1, \$12. Both Available by April 1995. Call 1 (800) 999-6779.

February 22 and 23, 1995 in Arlington, Virginia

U.S. Department of Agriculture Washington, D.C. 20250-3800